

**Amendments to the Claims:**

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Cancelled)


2. (Previously Presented) A composition according to claim 24, further comprising an organic solvent.

3. (Previously Presented) A composition according to claim 2, wherein said organic solvent comprises a solvent capable of dissolving between 0.01% and 5.0% by weight of component (a).

4. (Original) A composition according to claim 2, wherein said organic solvent is an alcohol, ketone, ether or ester.

5. (Cancelled)

6. (Previously Presented) A composition according to claim 24, wherein  $R_f$  in Formula (I) is of the formula:



wherein  $R_f^1$  is a perfluorinated alkyl or a perfluorinated alkylene group,  $R_f^2$  is a perfluorinated polyalkyleneoxy group consisting of perfluorinated alkyleneoxy groups having 1, 2, 3 or 4 carbon atoms or a mixture of such perfluorinated alkyleneoxy groups;  $R_f^3$  is a perfluorinated alkylene group or a substituted perfluorinated alkyl group; q and q' are independently chosen from 0 or 1; z is from 4 to 30, and z' is 0 to 30.

7. (Previously Presented) A composition according to claim 6, wherein  $R_f^2$  comprises repeating units selected from the group consisting of  $-(C_nF_{2n}O)-$ ,  $-(CF(Z)O)-$ ,  $-(C_nF_{2n}CF(Z)O)-$ , and  $-(CF_2CF(Z)O)-$ , and combinations thereof, wherein n is at least 1 and wherein Z is a fluorine

atom, a perfluoroalkyl group, a substituted perfluoroalkyl group, an oxygen-substituted perfluoroalkyl group, a perfluoroalkoxy group, or an oxygen-substituted perfluoroalkoxy group.

8. (Previously Presented) A composition according to claim 6, wherein  $R_f^3$  comprises repeating units selected from the group consisting of  $-(C_nF_{2n})-$  and  $-(CF(Z))-$ , and combinations thereof, wherein n is at least 1 and wherein Z is a fluorine atom, a perfluoroalkyl group, a substituted perfluoroalkyl group, an oxygen-substituted perfluoroalkyl group, a perfluoroalkoxy group, or an oxygen-substituted perfluoroalkoxy group.

9. (Previously Presented) A composition according to claim 24, wherein  $R_f$  is  $-CF_2O(CF_2O)_m(C_2F_4O)_pCF_2-$ ,  $-CF_2O(C_2F_4O)_pCF_2-$ ,  $-CF(CF_3)(OCF_2(CF_3)CF)_pO(CF_2)_mO(CF(CF_3)CF_2O)_pCF(CF_3)-$ , or combinations thereof, where an average value for m and p is 0 to 50 and m and p are not each independently 0.

10. (Previously Presented) A composition according to claim 24 wherein  $R_f$  is  $CF_3CF_2O(CF_2O)_m(C_2F_4O)_pCF_2-$ ,  $CF_3CF_2CF_2O(CF(CF_3)CF_2O)_pCF(CF_3)-$ ,  $CF_3CF_2O(C_2F_4O)_pCF_2-$ ,  $CF_3CF(CF_3)O-(CF(CF_3)CF_2O)_pCF(CF_3)-$ , or combinations thereof, where an average value for m and p is 0 to 50 and m and p are not each independently 0.

11. – 17. (Cancelled)

18. (Previously Presented) A composition according to claim 24, wherein component (a) is present in an amount of between 1 wt-% and 50 wt-%; component (b) is present in an amount between 50 wt-% and 99 wt-%; and component (c) is present in an amount between 0 wt-% and 20 wt-%, the weight-% being based on the total weight of the components.

19. (Currently Amended) The composition according to claim 24, wherein said composition is ~~derivable~~ derived from a partial condensation reaction of components (a), (b) and (c).

20. (Currently Amended) The composition according to claim 4, wherein said composition is ~~derivable~~ derived from a complete condensation reaction of components (a), (b) and (c).

21. (Previously Presented) A process for preparing a partial or complete condensate comprising reacting components (a), (b) and (c) according to claim 24 in a polar organic solvent in the presence of water and an acid or base catalyst.

22. (Previously Presented) A method of treating a substrate comprising applying to at least part of a surface of said substrate a composition according to claim 24.

23. (Currently Amended) A ~~coated~~ treated substrate as prepared by the method according to claim ~~24~~22.

24. (Currently Amended) A composition comprising a mixture of:  
(a) a hydrolyzable perfluoropolyether urethane or urea silane or a mixture thereof comprising the reaction product of:

(i) a fluorinated polyether compound of the formula



wherein  $R_f$  is a monovalent or divalent polyfluoropolyether group; T and  $T'$  each independently represents  $-CO_2R^3$ , where  $R^3$  is hydroxyalkyl, or  $-C(O)N(R^1)(R^2)$ , where  $R^1$  and  $R^2$  are independently hydrogen, hydroxyalkylene, dihydroxyalkylene, dihydroxyalkyl, or polyalkylenepolyamine ~~with the proviso that both R1 and R2 are not hydrogen at the same time~~;  $k'$  is an integer from 0 to 5; k is an integer from 1 to 5; and y is 0 or 1; and

(ii) a silane compound of the formula



wherein  $T'''$  is  $-NCO$ ;  $Q''$  is  $-(C_nH_{2n})-$ , where n is 2 to 6; R is an alkyl group of 1-4 carbon atoms; Y is a hydrolyzable group; and x is 0, 1 or 2;

(b) at least one non-fluorinated compound of the formula:



wherein R' is a C<sub>1</sub>-C<sub>4</sub> alkyl group; p is 2, 3 or 4; q is 0, 1 or 2, wherein the sum of p + q is 4, and Y' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group; and

(c) optionally, at least one non-fluorinated compound of the formula:



wherein R'' is a C<sub>6</sub>-C<sub>20</sub> alkyl group and Y'' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group, or a compound of the formula:



wherein L is a reactive functional group selected from an amino, an epoxy, a mercaptan, a methacrylate and an anhydride group; Q'' is -(C<sub>n</sub>H<sub>2n</sub>)-, where n is 2 to 6; Y'' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group.

25. (Withdrawn-Currently Amended) A composition comprising a mixture of:

(a) a hydrolyzable perfluoropolyetherisocyanate ~~derived urethane or urea~~ silane or a mixture thereof comprising the reaction product of:

(i) a fluorinated polyether compound of the formula



wherein R<sub>f</sub> is a monovalent or divalent polyfluoropolyether group; T and T' each independently represents -CO<sub>2</sub>R<sup>3</sup>, where R<sup>3</sup> is hydrogen or hydroxyalkyl, or -C(O)N(R<sup>1</sup>)(R<sup>2</sup>), where R<sup>1</sup> and R<sup>2</sup> are independently hydrogen, ~~poly~~hydroxyalkylene, dihydroxyalkyl, or polyalkylenepolyamine; k' is an integer from 0 to 5; k is an integer from 1 to 5; and y is 0 or 1;

(ii) a silane compound of the formula



wherein T'' is [[:]] -OH, -SH, ~~and or~~ NHR, where R is hydrogen or a C<sub>1</sub>-C<sub>4</sub> alkyl group; Q'' is -(C<sub>n</sub>H<sub>2n</sub>)-, where n is 2 to 6; R is an alkyl group of 1-4 carbon atoms; Y is a hydrolyzable group; and x is 0, 1 or 2; and

(iii) an aliphatic or aromatic polyisocyanate of the formula:



wherein Q is a polyalkylene or arylene group optionally containing oxygen, nitrogen, or carboxy groups or combinations thereof, and z is an integer of 2 to 5;

(b) at least one non-fluorinated compound of the formula:



wherein R' is a C<sub>1</sub>-C<sub>4</sub> alkyl group; p is 2, 3 or 4; q is 0, 1 or 2, wherein the sum of p + q is 4, and Y' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group; and

(c) optionally, at least one non-fluorinated compound of the formula:



wherein R'' is a C<sub>6</sub>-C<sub>20</sub> alkyl group and Y'' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group, or a compound of the formula:



wherein L is a reactive functional group selected from an amino, an epoxy, a mercaptan, a methacrylate and an anhydride group; Q'' is -(C<sub>n</sub>H<sub>2n</sub>)-, where n is 2 to 6; Y'' is a C<sub>1</sub>-C<sub>4</sub> alkoxy group.

26. (Withdrawn) A composition according to claim 25, further comprising an organic solvent.

27. (Withdrawn) A composition according to claim 26, wherein said organic solvent comprises a solvent capable of dissolving at least 0.01% by weight of component (a).

28. (Withdrawn) A composition according to claim 27, wherein said organic solvent is an alcohol, ketone, ether or ester.

29. (Withdrawn) The composition according to claim 25, wherein said composition is derivable from a partial condensation reaction of components (a), (b) and (c).

30. (Withdrawn) The composition according to claim 25, wherein said composition is derivable from a complete condensation reaction of components (a), (b) and (c).

31-33. (Canceled)

34. (New) The composition according to claim 24, wherein T and T' each independently represent  $-C(O)N(R^1)(R^2)$ , where  $R^1$  is hydroxyalkyl, dihydroxyalkyl or polyalkylenepolyamine, and  $R^2$  is hydrogen.

35. (New) The composition according to claim 24, wherein  $R^1$  is hydroxyalkyl, dihydroxyalkyl, or polyalkylenepolyamine, and  $R^2$  is hydrogen.

36. (New) The composition according to claim 24, wherein  $R^1$  and  $R^2$  are independently hydrogen, hydroxyalkyl, or polyalkylenepolyamine, or where  $R^1$  is dihydroxypropyl and  $R^2$  is hydrogen.